

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE ·	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/675,289	09/29/2003	William F. Micka	TUC920030045US1	5437
49080 DALE F. REGI	7590 07/24/2007 ELMAN	EXAMINER		INER
4231 S. FREMONT AVENUE			TIMBLIN, ROBERT M	
TUCSON, AZ	85/14		ART UNIT	PAPER NUMBER
			2167	:
		•	MAIL DATE	DELIVERY MODE
			07/24/2007 ⁻	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application/Control Number: 10/675,289

Art Unit: 2167

DETAILED ACTION

This office action corresponds to application 10/675,289 filed9/29/2003.

Response to Amendment

The Examiner acknowledges and enters the amendments made to this application.

Accordingly, claims 1-18 have been carefully examined and are pending prosecution.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beal et al. ("Beal" hereinafter) (US 5,155,845) in view of Tan et al. ("Tan" hereinafter) (US 2003/0126347 A1).

With respect to claim 1, and similar claims 7, and 13, Beal discloses A method to coordinate interconnected information storage and retrieval systems, wherein each of the information and storage systems is capable of communicating with one or more host computers, comprising the steps of:

'providing a host computer' (drawing 101).

providing a plurality information storage and retrieval systems (figure 1 shows at least two storage systems), wherein each of said plurality of information storage and retrieval systems is interconnected with each of the other information storage and retrieval systems (drawing reference 106, 110, 108) is interconnected with said host computer (drawing reference 101, 102, 104 and figures 1-2); and wherein each of said information storage and retrieval systems is interconnected with a different remote storage location' (col. 8 line 25-39; col. 14, line 21-38; figs. 1-4).

'providing a plurality of controllers (105, 107, 113 and 112), , wherein two of said plurality of controllers are disposed in each of said plurality of information storage and retrieval systems (105 and 112 are both controllers in the same storage system).' A DASD subsystem comprises a plurality of data storage control units (DSC) (col. 2, lines 60-67). A single DSC can be connected to one or more disk controllers (col. 9, line 53-55).

Beal fails to explicitly describe designating one of said plurality of controllers as a master controller and the remaining controllers as target controllers; generating one or more master controller commands by said master controller; providing said one or more master controller commands to each of said target controllers, wherein said one or more master controller commands cause said target controllers to adjust the flow of data into and out of each of said one or more information storage and retrieval systems.

Beal also fails to explicitly disclose wherein each of said plurality of controllers comprises logic enabling that controller to function as a master controller, or as a target controller, or as both a master and a target controller.

Tan, however teaches designating one of said plurality of controllers (figure 1) as a master controller (active controller; 0023) and the remaining controllers as target controllers (0029; identifying the standby controller as a target device, 0023);

generating one or more master controller commands by said master controller (as the commands disclosed in 0025, 0029 and 0032);

providing said one or more master controller commands to each of said target controllers, wherein said one or more master controller commands cause said target controllers to adjust the flow of data into and out of each of said one or more information storage and retrieval systems (0023, 0030 and 0032) discuss commands from the active controller to the standby controller).

Tan also teaches wherein each of said plurality of controllers (130, 150) comprises logic ([0024], second column, first 2 lines) enabling that controller to function as a master controller, or as a target controller ([0024] master and target devices), or as both a master and a target controller ([0024] both controllers 130, and 150 may be configured to be both master and target devices) for designating a device as master or target.

In the same field of endeavor, (i.e. providing data redundancy), it would have been obvious to one of ordinary skill in the data processing art at the time of the present invention to combine the teachings of the cited references because the teachings of Tan would have given Beal's invention inter-controller communication to facilitate communication between the controllers. Such teachings would provide the benefit of an improved controller redundancy (Tan at paragraph 0010). Tan also would have given Beal a way to condition to DSC 105 and 107 to both act as master controllers (as disclosed by Beal in col. 31 line 67-col. 32 line 2) or act as a secondary or primary device (disclosed by Beal in col. 14 line 8-14).

Art Unit: 2167

Furthermore, although Beal's storage systems may include one or more controllers, there remains a need for improved communication between them for improved data redundancy.

The limitations of claims 7 and 13 have been rejected for the same reasons as this claim for being essentially similar to claim 1. Furthermore, With respect to claims 7 and 13, Beal teaches wherein each of said plurality of information storage and retrieval systems comprises two controllers as 105 and 112 are both controllers in the same storage system.

With respect to claims 2, 8, and 14, Tan discloses 'one or more master controller commands causing each of said target controllers to stop accepting write operations from said one or more host computers' (0025 and 0029).

With respect to claims 3, 9, and 15, Tan discloses 'each of said target controllers to form one or more consistency groups' as maintaining consistency groups (0007).

With respect to claims 4, 10, and 16, Tan discloses 'causing each of said target controllers to stop providing data to said one or more remote storage locations' as initiating and terminating data transfers (0029).

With respect to claims 5, 11, and 17, Beal discloses 'providing a host computer policy command to said master controller' as a host specifying a multiple copy service (col. 3 line 10-13).

Art Unit: 2167

'providing at a first time by said master controller to each target controller one or more first master controller commands' as a sequence of commands (col. 19, lines 34-50).

'providing at a second time by said master controller to each target controller one or more second master controller commands' as a sequence of commands (col. 19, lines 34-50).

With respect to claims 6, 12, and 18, Beal discloses 'providing status information to said master controller by each target controller' as the host is notified of the completion of the execution of the write command (col. 3, lines 30-42).

Response to Arguments

Applicant's arguments filed 5/9/2007 have been fully considered but they are not persuasive.

Applicant argues on page 10 of the response that the references fail to teach the claims as amended. Specifically, Applicant argues that Tan teaches away from the limitation of "wherein each controller comprises logic enabling that controller to function as a master controller, or as a target controller, or as both a master and a target controller." The Examiner respectfully disagrees given the following:

Tan teaches, in paragraph [0024] that the controllers 130, 150 may be configured to be both master and target devices. The Examiner asserts that a configuration in the controllers 130, 150 sufficiently teaches the claimed logic enabling that controller to function as a master controller, or as a target controller, or as both a master and a target controller. Furthermore this configuration teaches that a controller may function as both a master and a target controller.

Furthermore, Tan also teaches that the role of the controllers may reverse during operations [0028]. This clearly describes that a controller also may function as a master or target device. With the controllers containing a configuration along with a description that the devices may be alternate roles (i.e. standby and active), Tan teaches the independent claims as amended.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert M. Timblin whose telephone number is 571-272-5627. The examiner can normally be reached on M-F 8:00-4:30.

Application/Control Number: 10/675,289

Art Unit: 2167

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, John R. Cottingham can be reached on 571-272-7079. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Robert M. Timblin

Rebel In Sublin

Patent Examiner AU-2167

Page 8

7/12/2007

JOHN COTTINGHAM
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100